Approved For Release 2000/04/13 ECREA-RDP78B04560A004000010016-7 PHOTOGRAPHIC INTERPRETATION REPORT

NPIC/R-1340/64

August 1964

MISSION COVERAGE INDEX


MISSIONS 2126, 2127, 8006 20 AUGUST 1964 MISSION 9013 21 AUGUST 1964

25X1A





NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



SECRET

GROUP 1
Excluded from automotic downgrading and declassification



WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

Approved For Release 2000/04/17: CIA-RDP78B04560A00400010016-7 NPIC/R-1340/64

PREFACE

25X1A

SECRET

THIS MISSION COVERAGE INDEX (MCI) LISTS THE INTELLIGENCE TARGETS IMAGED ON THE PHOTOGRAPHY OF MISSIONS 2126, 2127, AND 8006 DATED 20 AUG 64 AND 9013 DATED 21 AUG 64 COVERING LADS AND SOUTH VIETNAM. ITEMS ARE ARRANGED IN THREE SECTIONS —

25X1A

SECTION I PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVIOUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECTION II PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS NAC AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

SECTION III PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTIFIED BUT NOT INTERPRETED.

TARGETS IN EACH OF THE THREE SECTIONS ARE ARRANGED 1) BY COUNTRY, 2) WITHIN THE COUNTRY ACCORDING TO SUBJECT, 3) WITHIN THE SUBJECT BY WAC AREA, AND 4) WITHIN THE WAC AREA BY

NPIC/R-1340/64

GEOGRAPHIC COORDINATES IN ASCENDING ORDER.
AN EXPLANATION OF COLUMN HEADINGS AND PHOTO
REFERENCES USED IN PRESENTING THE INFORMATION
IS CONTAINED IN THE APPENDIX. THE MAP BASE
USED (WHEN AVAILABLE) FOR THE DERIVATION OF
COORDINATES IN THIS MCI IS THE LATEST EDITION
OF THE AMS SERIES L509, SCALE 1/250,000 AND
L004, 1/50,000.

SECRET

THE USER OF THIS MCI IS CAUTIONED THAT THE SCAN OF PHOTOGRAPHY WAS ACCOMPLISHED IN A RELATIVELY SHORT TIME AND OFTEN WITHOUT THE AID OF PRECISE ANALYTICAL AND MENSURAL TECHNIQUES COMMONLY EMPLOYED IN DETAILED PHOTOGRAPHIC ANALYSIS. CONSEQUENTLY, ALTHOUGH THE INFORMATION PRESENTED HEREIN IS ESSENTIALLY ACCURATE, ADDITIONAL, DETAILED ANALYSIS MAY SOMEWHAT ALTER PORTIONS OF THE INFORMATION.

Approved For Release 2000/04/17 : CIA-RDP78B04560A004000010016-7 SECTION I THIS SECTION PROVIDES SHORT DESCRIPTIONS FOR NEWLY IDENTIFIED TARGETS AND PREVI-OUSLY REPORTED TARGETS SHOWING CHANGE, AND ALSO PROVIDES ORDER OF BATTLE INFORMATION.

SECRET

NPIC/R-1340/64

	Target	Coordinates	WAC	Target Numbers		
			"40	BE	NPIC	
Ý	-LAOS- AIR INSTALLATIONS			25X1A		
25X1D	BAN BAN AIRFIELD 25X1D NE EDGE OF BAN BAN AT UTM 1,250 X 80 FT WNW/ESE GRADED EARTH LANDING STRIP, UNSERVICEABLE. AIRCRAFT NONE OBSERVED. MILITARY INSTALLATIONS	1938N 1Ø333E	Ø617		159-А	
25X1D	BAN NON HON AREA, STRONGPOINTS THREE STRONGPOINTS IN BAN NON HON AREA. STRONGPOINTS A AND C NOT COVERED. STRONGPOINT B ID ONLY.	1925N 10304E	Ø617		427 ~ K	
25X1D	BAN KEN, AAA SITES SIXTEEN AAA SITES IN BAN KEN VICINITY. SITE A (UTM UNOCCUPIED 4-GUN LIGHT AAA SITE, POSSIBLY CAMOUFLAGED.	1934N 10340E	Ø617 ·		48Ø~B	
25X1D 25X1D	SITE B (UTM UNOCCUPIED 4-GUN LIGHT AAA SITE.					
ِد 25X1D	SITE C (UTM UNOCCUPIED 4-GUN LIGHT AAA SITE.					
	SITE D (UTM UNOCCUPIED 8-GUN LIGHT AAA SITE. THREE AW POSITIONS (2		·			

SECRET

NPIC/R-1340/64

			larget Numbers		
Target	Coordinates	WAC	BE	NPIC	
POSSIBLY OCCUPIED) OBSERVED WITHIN SITE.					
SITE E (UTM ————————————————————————————————————					
SITE F (UTM UNDCCUPIED 4-GUN LIGHT AAA SITE。					
SITE G NOT COVERED.					
SITE H (UTM UNOCCUPIED 7-GUN AAA SITE WITH BOMB CRATER ON ONE POSITION.					
SITE I (UTM UNOCCUPIED 4-GUN AAA SITE。					
SITE J (UTM STRONGPOINT CONTAINS AN OBLONG TRENCH, SEVERAL AW POSITIONS, AND AN UNOCCUPIED 6-GUN LIGHT AAA SITE. NO BUILDINGS OBSERVED.					
SITE K (UTM OCCUPIED 4-GUN HMGAA ZPU-4 SITE. (SEE ATTACHMENT 2)					
SITE L (UTM PROBABLE 57 MM AAA SITE WITH A POSSIBLE DIRECTOR AND RADAR. (SEE ATTACHMENT 3)					
SITE M (UTM SITE APPEARS ABANDONED.					
SITE N (UTM OCCUPIED 4-GUN HMGAA SITE (SEE ATTACHMENT 4)					
SITE O (UTM UNOCCUPIED 4-GUN					
	POSSIBLY OCCUPIED) OBSERVED WITHIN SITE. SITE E (UTM	POSSIBLY OCCUPIED) OBSERVED WITHIN SITE. SITE E (UTM	POSSIBLY OCCUPIED) OBSERVED WITHIN SITE. SITE E (UTM	POSSIBLY OCCUPIED) OBSERVED WITHIN SITE. SITE E (UTM	

SECRET

NPIC/R-1340/64

Target Numbers

	Target	Coordinates	WAC	BE	NPIC
25X1D 25X1D	AAA SITE. SITE P (UTM) NEWLY IDENTIFIED OCCUPIED 7-GUN PROBABLE 57 MM AAA SITE WITH A PROBABLE PUAZO-6 DIRECTOR AND A POSSIBLE FIRECAN RADAR. (SEE ATTACHMENT 5)			25X1A	
25X1D	BAN BAN ARMY BARRACKS NE EDGE OF BAN BAN AT UTM ENTRENCHED AND FENCE-SECURED MILITARY AREA CONTAINS APPROXIMATELY 15 BUILDINGS AND 5 AW POSITIONS IN NE CORNER. AREA IMMEDIATELY WEST OF SECURED AREA CONTAINS ONE ADMINISTRATION BUILDING WITH 2 WINGS DAMAGED AND 4 DESTROYED BUILDINGS. IMMEDIATELY SOUTH OF MILITARY AREA ARE 2 DESTROYED BUILDINGS AND JUST SW AT ROAD JUNCTION IS ONE LARGE DESTROYED BUILDING. ONE PARTIALLY DESTROYED BUILDING IS LOCATED Ø.3 NM ESE OF SECURED AREA. TWO DERELICT TRUCKS OBSERVED. SEVERAL BOMB CRATERS OBSERVED IN AREA.	1938N 10333E	Ø617	ZJATA	
25X1A 25X1E	(SEE ATTACHMENT 6) COMOR TARGET NO				
			<u></u>	<u> </u>	

SECRET

NPIC/R-1340/64

	Target	Coordinates		Coordinates WAC		Target Numbers		
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	BE	NPIC		
	BAN BAN AREA, MILITARY AREAS	1939N	1Ø333E	Ø617		159-B		
25X1D	FIVE MILITARY AREAS IN BAN BAN VICINITY. (AREAS REFERENCED FROM CENTER OF BAN BAN MILITARY CAMP).							
25V4D	AREA A (1.2 NM NORTH AT UTM	:						
25X1D	AREA B (0.9 NM NNE AT UTM 3 UNOCCUPIED AAA/AW POSITIONS ENCLOSED BY TRENCH SYSTEM.							
25X1D	AREA C NOT COVERED.							
25X1D	AREA D (UTM — — STRONGPOINT CONSISTING OF A CIRCULAR TRENCH AND 2 BUILDINGS OUTSIDE OF TRENCHWORK.							
	AREA E (UTM OBLONG TRENCH SYSTEM WITH 2 SHEDS.							
25X1D								
	-SOUTH VIETNAM-							
	AIR-INSTALLATIONS				25X1A			
	A SHAU AIRFIELD APPROXIMATELY 2 NM NW OF A SHAU (LAOS) AND IMMEDIATELY NORTH OF LAOS/SOUTH VIETNAM	16Ø7N	10720E	Ø617		236		
Į		, <u> </u>		L				

SECRET

Target Coordinates WAC Target Nombers

25X1D

25X1D

BORDER AT APPROXIMATELY UTM
NO APPARENT CHANGE SINCE MISSION

AIRCRAFT -- ONE SMALL LIAISON-TYPE.

SECTION II

THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH REFLECT NO APPARENT CHANGE IN FACILITIES FROM THE MOST ADEQUATE PREVIOUS DESCRIPTION. THE MCI IN WHICH THIS DESCRIPTION APPEARS IS DESIGNATED BY THE APPROPRIATE MISSION NUMBER, PREFIXED BY THE LETTERS "NAC" AND APPEARING AS THE LAST ENTRY ON THE PHOTO REFERENCE LINE. MILITARY INSTALLATIONS WHERE THERE IS NO SIGNIFICANT CHANGE IN FACILITIES AND WHERE NO ORDER OF BATTLE CAN BE DETERMINED ARE LISTED UNDER THIS SECTION.

Approved For Release 2000/04/17 : CIA-RDP78B04560A004000010016-7 $_{ m N\,P\,IC/R-1340/64}$

SE	SECRET					Target Numbers	
		Target		coordinates	WAC	BE	NPIC
- 1	-LAOS- IR INSTALLATIONS AN NON HON AIRFIELD	25X1D	1926	N 10305E	Ø617	25X1A	427

Approved For Release 2000/04/17 : CIA-RDP78B04560A004000010016-7 SECTION III THIS SECTION PROVIDES A LISTING OF THOSE TARGETS WHICH COULD BE IDENTI-FIED BUT NOT INTERPRETED .

SECRET

NPIC/R-1340/64


	Target	Coordinates	WAC	Target Numbers	
	Turger	Coordinates	WAC.	BE	NPIC
•					
å	-LAOS-				
1	AIR INSTALLATIONS				
25X1D	BAN THANG AREA, LANDING STRIP (2)	1925N 10304E	Ø617		427-C
25X1D	BAN NON HON AREA, LANDING STRIP	1926N 10305E	Ø617		427-A
25X1D	BAN SAO, LANDING STRIP	1927N 10307E	Ø617		427-D
	MILITARY INSTALLATIONS				
25X1D	BAN NON HON AREA, MILITARY AREAS	1926N 10305E	Ø617		427-G
	STORAGE				
25X1D	BAN NON HON AREA, STORAGE AREA	1926N 10305E	Ø617		427-H
	BAN SAO, ARMOR STORAGE AND MAINTENANCE AREA	1927N 10307E	Ø617		427-E
Ø ^A					
Ćs.					



BAN KEN AREA, MGAA SITE E, LAOS


Approved For Release 2000/04/17 : CIA-RDP78B04560A004000010016-7 NPIC/R-1340/64

25X1D



BAN KEN AREA, HMGAA SITE K, LAOS


SECRET Approved For Release 2000/04/17 : CIA-RDP78B04560A004000010016-7NPIC/R-1340/64
ATTACHMENT 3



BAN KEN AREA, AAA SITE L, LAOS

Approved For Release 2000/04/17 : CIA-RDP78B04560A004000010016-7_{NPIC/R-1340/64} ATTACHMENT 4

25X1D




BAN KEN AREA, HMGAA SITE N, LAOS

SECRET

25X1D 7 57 MM AAA GUNS PUAZO - 6 DIRECTOR

BAN KEN AREA, AAA SITE P, LAOS



BAN BAN MILITARY CAMP, LAOS

NPIC J-3639 (8/64)

APPENDIX

COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

Coordinates -- Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

 $\underline{\text{WAC}}\text{--This}$ column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

PHOTO REFERENCE DATA

The photo reference data indicates the $\mbox{frame}(s)$ on which the installation appears.

CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).